

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SDS Ref : 100003200

Revision date: 3/21/2019 Supersedes: 1/26/2016 Version: 8.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
Name : R-32

Chemical name : 1,1-Difluoromethane (R-32)

EC-No. : 200-839-4 CAS-No. : 75-10-5

REACH registration No : 01-0000019665-61

Product code : 100003200

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture : Refrigerant

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Supplier

Dehon Service SA
26 Avenue du Petit Parc
94683 VINCENNES Cedex - France
T 01 43 98 75 00 - F 01 43 98 21 51
ContactFDS@climalife.dehon.com

Other

Climalife Kft Budepesta sucurcala Bucuresti Romania

Bulevardul Hristo Botev, Nr. 28,

Biroul NR 4, Modulul I

Bucuresti Sectorul 3 - Romania
ContactFDS@climalife.dehon.com

Other

Dehon Kälte-Fachvertriebs GmbH Robert-Bosch-Strasse 14 40668 MEERBUSCH - Germany T 00 49 2150 7073 0 - F 00 49 2150 7073 17

ContactFDS@climalife.dehon.com

Other

Dehon Service Belgium s.a/n.v. Avenue Carton de Wiart, 79 1090 Bruxelles - Belgium

T 00 32 2 421 01 70 - F 00 32 2 426 96 62

ContactFDS@climalife.dehon.com

Other

Friogas sa

Poligono Industrial SEPES

Parcela 10

46500 SAGUNTO (Valencia) - Spain

T 00 34 9 6 266 36 32 - F 00 34 9 6 266 50 25

ContactFDS@climalife.dehon.com

Other

Prochimac SA Rue du Château 10

CH-2000 NEUCHATEL - Switzerland T 00 41 32 727 36 00 - F 00 41 32 727 36 19

 $\underline{ContactFDS@climalife.dehon.com}$ 

1.4. Emergency telephone number

Emergency number : +33 (0) 1 72 11 00 03

#### Other

Climalife Hongrie Kft

Rét u. 2

2040 Budaörs - Hungary

T 00 36 23 431 660 - F 00 36 23 431 661 ContactFDS@climalife.dehon.com

#### Other

Climalife Supplied by Inventec Performance Chemicals Italia SRL

Via del Lavoro, 10/G 20874 Busnago MB - Italia

T +39 39-5973480 - F +39 39-5973490 <u>ContactFDS@climalife.dehon.com</u>

#### Other

Dehon nordic service Östra Hamngatan 50B 3tr 41109 GÖTEBORG - Sweden

T 00 46 44 21 58 80 - F 00 46 44 21 58 80

ContactFDS@climalife.dehon.com

#### Other

Dehon Service Nerderland B.V. Van Konijnenburgweg 84

NL-4612 PL Bergen Op Zoom - Netherlands T 00 31 164 212 830 - F 00 31 164 212 831 ContactFDS@climalife.dehon.com

#### Other

IDS Refrigeration Limited
Green Court, Kings Weston Lane

Avonmouth

BS11 8AZ Bristol - United Kingdom

T 00 44 1179 802520 - F 00 44 1179 802521

ContactFDS@climalife.dehon.com

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Gas 1 H220
Press. Gas (Liq.) H280

Full text of hazard classes and H-statements : see section 16

#### Adverse physicochemical, human health and environmental effects

Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing. Contact with the liquid may cause frostbite and serious damage to eyes.

#### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

GHS02

Signal word (CLP) : Danger

Hazard statements (CLP) : H220 - Extremely flammable gas.

H280 - Contains gas under pressure; may explode if heated.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

: 200-839-4

P377 - Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

P381 - In case of leakage, eliminate all ignition sources.

P410+P403 - Protect from sunlight. Store in a well-ventilated place.

: Greenhouse fluorinated gas falling within Kyoto Protocol (GWP=675).

2.3. Other hazards

Extra phrases

EC-No.

No additional information available

### **SECTION 3: Composition/information on ingredients**

 3.1. Substances

 Name
 : R-32

 CAS-No.
 : 75-10-5

Name
Product identifier
%
Classification according to Regulation (EC) No. 1272/2008 [CLP]

Difluoromethane (CAS-No.) 75-10-5 (EC-No.) 200-839-4 (REACH-no) 01-2119471312-47

Full text of H-statements: see section 16

#### 3.2. Mixtures

Not applicable

### **SECTION 4: First aid measures**

4.1. Description of first aid measures

First-aid measures after inhalation : Move the affected person away from the contaminated area and into the fresh air. If you

feel unwell, seek medical advice.

First-aid measures after skin contact : In the event of contact with the liquid: treat resulting frostbite as a burn. Rinse with plenty of

water. Do not remove clothing (since it may stick to the skin). If skin burns appear, call a

doctor immediately.

First-aid measures after eye contact : Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes

minimum). Consult an eye specialist immediately.

First-aid measures after ingestion : Not specifically applicable (gas).

3/21/2019 (Version: 8.0) EN (English) 2/8

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : CNS depression. Narcosis. Cardiac disorders. Lack of oxygen: risk of death.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Strong water jet.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable gas. Heating will cause a rise in pressure with a risk of bursting.

Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing. Hazardous gas/vapours are formed in the event of decomposition (see section

10).

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Do not attempt to take action without suitable protective equipment. Avoid contact with skin

and eyes. Do not breathe smoke. Do not smoke. Evacuate personnel to a safe area.

Ventilate spillage area. Stop leak without risks if possible.

#### 6.1.1. For non-emergency personnel

No additional information available

#### 6.1.2. For emergency responders

No additional information available

#### 6.2. Environmental precautions

Product evaporates rapidly when in contact with the air. Prevent entry to sewers and public waters.

### 6.3. Methods and material for containment and cleaning up

Other information : Mechanically ventilate the spillage area.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13: "Disposal considerations".

### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling : Pressurised container. Protect from sunlight and do not expose to temperatures exceeding

50°C. Ensure good ventilation of the work station. Do not pierce or burn, even after use.

Use non-sparking tools.

Hygiene measures : Do not drink, eat or smoke in the workplace.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tight closed. Store : in a cool, well-ventilated area. Store in original

container.

Incompatible materials : Strong oxidizing agents. alkali metals. Alkaline earth metals.

Packaging materials: Carbon steel. Unsuitable materials: Alloys containing more than

2% magnesium.

### 7.3. Specific end use(s)

No additional information available

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters R-32 (75-10-5) Sweden Anmärkning (SE) V (Vägledande korttidsgränsvärde ska användas som ett rekommenderat högsta värde som inte bör överskridas) Difluoromethane (75-10-5) FU IOELV TWA (mg/m3) 2200 (recommended) FU IOELV TWA (ppm) 1000 ppm (recommended) Czech Republic Expoziční limity (PEL) (mg/m³) 2000 mg/m<sup>3</sup>

3/21/2019 (Version: 8.0) EN (English) 3/8

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Difluoromethane (75-10-5)		
Czech Republic	Expoziční limity (PEL) (ppm)	940 ppm
Czech Republic	Expoziční limity (NPK-P) (mg/m³)	5000 mg/m³
Czech Republic	Expoziční limity (NPK-P) (ppm)	2350 ppm
Germany	TRGS 910 Acceptable concentration notes	

#### 8.2. Exposure controls

### Hand protection:

Leather protective gloves. Nitrile-rubber protective gloves. VITON gloves

#### Eye protection:

Safety glasses with side shields

#### Skin and body protection:

Majority cotton protective clothing

#### Respiratory protection:

In the event of insufficient ventilation: Gas mask with filter type AX. In a confined area: Self-contained breathing apparatus

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Gas

Appearance : Liquefied gas.

Colour : Colourless.

Odour : slightly ethereal.

Odour threshold : No data available

pH : Not applicable

Relative evaporation rate (butylacetate=1) : No data available

Melting point : -136 °C

Freezing point : No data available

Boiling point : -51.7  $^{\circ}$ C Flash point : Not applicable Critical temperature : 78.4  $^{\circ}$ C

Auto-ignition temperature : No data available Decomposition temperature : No data available

Flammability (solid, gas) : Extremely flammable gas.

Vapour pressure : 16.9 bar (25°C)

Relative vapour density at 20 °C : 2.98

Relative density : No data available
Density : 0.959 g/cm³ (25°C)

Solubility : Insoluble in water. Soluble in : Alcohol.

Log Pow : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available

Explosive properties : Not explosive material according to EC criteria.

Oxidising properties : Non oxidizing material according to EC criteria.

Lower explosive limit (LEL) : 12.7 vol % Upper explosive limit (UEL) : 33.4 vol %

### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Stable under normal conditions of use.

#### 10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

#### 10.3. Possibility of hazardous reactions

No dangerous polymerization.

3/21/2019 (Version: 8.0) EN (English) 4/8

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 10.4. Conditions to avoid

Pressurised container. Protect from sunlight and do not expose to temperatures exceeding 50°C. Container under pressure. Do not drill or burn even after use. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

Strong oxidizing agents. alkali metals. Alkaline earth metals. Metallic powders. Metallic salts.

#### 10.6. Hazardous decomposition products

Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide. Hydrogen fluoride. Carbonyl halogenides.

OFOTION	44 🛖		<ul> <li>• • • • • • • • • • • • • • • • • • •</li></ul>
SECTION	11' I OXIC	ological	information
OLUITOR	III. IOAIG	Joiogical	IIIIOIIIIIIIIIIIII

11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified

<b>Difluoromethane</b>	(75-10-5)	
------------------------	-----------	--

Acute toxicity (inhalation)

LC50 inhalation rat (ppm) > 520000 ppm/4h

Skin corrosion/irritation : Not classified

pH: Not applicable

Not classified

Additional information : Contact with the liquid causes frostbite

Serious eye damage/irritation : Not classified

pH: Not applicable

Additional information : Contact with the liquefied gas may cause severe ocular lesions

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified

Difluoromethane (75-10-5)

NOAEC (inhalation, rat, gas, 90 days) 50000 ppmv/6h/day

Aspiration hazard : Not classified

### **SECTION 12: Ecological information**

12.1. Toxicity

Acute aquatic toxicity : Not classified Chronic aquatic toxicity : Not classified

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

### Difluoromethane (75-10-5)

Log Pow 0.21

#### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

Other adverse effects : Ozone depletion factor ODP (R-11=1) = 0. Total global warming potential (GWP) : 675.

#### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Regional legislation (waste)

: Switzerland: OTD: RS 814.600 / OMoD: RS 814.610.

Product/Packaging disposal recommendations

: Methods of disposal of packaging. Reuse or recycle following decontamination. Destroy at an authorised site.

Additional information

: The user's attention is drawn to the possible existence of specific european, national or local regulations regarding disposal. Refer to manufacturer or supplier for information on recovery or recycling.

3/21/2019 (Version: 8.0) EN (English) 5/8

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ecology - waste materials

: Must not be discharged to atmosphere. Refer to manufacturer or supplier for information on recovery or recycling.

### **SECTION 14: Transport information**

In accordance with ADR / IATA / IMDG / RID

ADR	IMDG	IATA	RID
14.1. UN number			
UN 3252	UN 3252	UN 3252	UN 3252
14.2. UN proper shippin	g name		
DIFLUOROMETHANE (REFRIGERANT GAS R 32)	DIFLUOROMETHANE (REFRIGERANT GAS R 32)	Difluoromethane	DIFLUOROMETHANE (REFRIGERANT GAS R 32)
Transport document descr	iption		
UN 3252 DIFLUOROMETHANE (REFRIGERANT GAS R 32), 2.1, (B/D)	UN 3252 DIFLUOROMETHANE (REFRIGERANT GAS R 32), 2.1	UN 3252 Difluoromethane, 2.1	UN 3252 DIFLUOROMETHANE (REFRIGERANT GAS R 32), 2.1
14.3. Transport hazard	class(es)		
2.1	2.1	2.1	2.1
2	***	2	2
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No

### No supplementary information available

# 14.6. Special precautions for user

## Overland transport

Classification code (ADR) : 2F Special provisions (ADR) : 662 Limited quantities (ADR) : 0

Tank code (ADR) : PxBN(M)
Transport category (ADR) : 2

Hozard identification number (Kemler No.) : 23

Hazard identification number (Kemler No.) : 23

23 3252

Tunnel restriction code (ADR) : B/D EAC code : 2YE

Transport by sea

Orange plates

EmS-No. (Fire) : F-D EmS-No. (Spillage) : S-U

Air transport

PCA Limited quantities (IATA) : Forbidden
PCA limited quantity max net quantity (IATA) : Forbidden
PCA packing instructions (IATA) : Forbidden
PCA max net quantity (IATA) : Forbidden
CAO packing instructions (IATA) : 200
CAO max net quantity (IATA) : 150kg

3/21/2019 (Version: 8.0) EN (English) 6/8

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special provisions (IATA) : A1

Rail transport

· 2F Classification code (RID) Special provisions (RID) : 662 Limited quantities (RID) : 0 Transport category (RID) : 2 : CE3 Colis express (express parcels) (RID) . 23 Hazard identification number (RID)

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

R-32 is not on the REACH Candidate List

R-32 is not on the REACH Annex XIV List

R-32 is not subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

R-32 is not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC

#### 15.1.2. National regulations

Ensure all national/local regulations are observed.

Germany

: Water hazard class (WGK) 1, Slightly hazardous to water (Classification according to Reference to AwSV

AwSV; ID No. 4068)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed SZW-lijst van mutagene stoffen : The substance is not listed NIET-limitatieve lijst van voor de voortplanting : The substance is not listed giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Ontwikkeling

: The substance is not listed

: The substance is not listed

Switzerland

Swiss National Regulations : ORRChim RS 814.81.

### 15.2. Chemical safety assessment

No additional information available

# **SECTION 16: Other information**

#### Indication of changes:

All chapters have been modified since the previous version.

Section	Changed item	Change	Comments
13.1	Additional information	Added	

Other information : For more information regarding the use of this product, please refer to our technical information or contact the sales department in your region.

Full text of H- and EUH-statements:		
Flam. Gas 1	Flammable gases, Category 1	
Press. Gas (Liq.)	Gases under pressure : Liquefied gas	
H220	Extremely flammable gas.	
H280	Contains gas under pressure; may explode if heated.	

3/21/2019 (Version: 8.0) EN (English) 7/8

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product